1/11

Fig.1A





Fig.1B



## Fig. 2

			2/1	1					
PMD (ps·km <sup>-1/2</sup> )	0.05	90.0	0.02	0.03	0.01			0.03	0.01
MFD (µm)	4.6	4.6	4.6	4.6		4.6	4.8	4.9	4.9
(I/W/km)	10.4	10.3	10.5	10.4		10.4	9.8	9.1	9.1
Aeff (μm²)	16.4	16.5	16.3	16.4		16.4	17.4	18.2	18.2
CUTOFF WAVELENGTH (nm)	789	995	980	987		286	1084	948	944
	-0.0011	0.0006	-0.0045	-0.0015	0.0168	-0.002	0.026	0.001	-0.001
TRANSMISSION CHROMATIC DISPERSION LOSS DISPERSION SLOPE (dB/km) (ps/nm/km) (ps/nm²/km)	0.063	0.525	-0.771	-0.077	5.432	-0.2	9.0	0.31	-0.10
TRANSMISSION LOSS (dB/km)	0.48	0.48	0.47	0.51	0.55			0.43	0.40
2a (μm)	4.890	4.908	4.860	4.892		4.88	5.36	5.288	5.274
Ra (a/b)	0.52	0.52	0.52	0.52	0.52			0.55	0.55
- (%)	-0.82	-0.82	-0.82	-0.82	-0.82			-0.75	-0.75
+ (%)	1.37	1.37	1.37	1.37	1.37			1.30	1.30
-					AVERAGE	A-TERMINAL	B-TERMINAL		
SAMPLE NO.	,-	2	3	4		က		9	7

3/11

Fig.3A





Fig.3B



4/11





Fig.4

## 5/11

## Fig.5

SAMPLE NO.	LENGTH (m)	TRANSMISSION LOSS (dB/km)	CHROMATIC DISPERSION (ps/nm/km)	DISPERSION SLOPE (ps/nm²/km)	γ (I/W/km)
8	1000	0.47	0.42	0.0002	10.4
9	500	0.62	0.063	-0.0011	10.4
10	1000	0.56	-0.36	0.025	20.4
11	1000	0.22	0.32	0.0036	5.1
12	500	>9.9	-1	0.001	11.2

Fig.6



7/11

Fig.7





Fig.8



9/11

Fig.9

